CERTIFICATE OF ANALYSIS

para-METHOXYTOPOLIN-9-GLUCOSIDE (MepT9G)

6-(4-methoxybenzylamino)-9-β-D-glucopyranosylpurine

$C_{19}H_{23}N_5O_6$, FW = 417.43

OLCHEMIM CODE: 001 588n
OLCHEMIM BATCH: 4-MEO-C
MANUFACTURING DATE: January 2025
EXPIRATION DATE: January 2035
CAS: N/A
BATCH SIZE: 150 mg

SYNTHESIS

By reaction of 6-chloropurine-9-β-D-glucoside and 4-methoxyxybenzylamine. Purified by column chromatography and re-crystallised twice from methanol. A white, microcrystalline solid, soluble in aqueous ethanol.

ANALYSIS
MELTING POINT: 178-180°C (Kofler block)

TLC (silica-chloroform/methanol, 2/1, v/v), Rf 0.70. No impurities detectable at 25 μg loading. Purity 98+%.
MASS SPETROMETRY: Matches the reference spectrum $[M+H]^+$= 418.3 amu, ZMD 2000 (Waters) single quadrupole electrospray MS.
HPLC: Samples were dissolved in mobile phase (initial conditions) and separated on RP-column (150 mm □ 4.6 mm, 5μm) (Microsorb C18; Varian). The elution was performed with a methanolic gradient. The flow rate was 0.6 ml/min. The UV absorbance was scanned between 240 – 300 nm, λ_{max} 269.0 nm. Rt (MepT9G) = 22.8 min. Purity > 98+%.

STORAGE & STABILITY:
ACID LABILE! HYGROSCOPIC! Store over silica gel in tightly sealed container at –18°C. No detectable decomposition after 6 months storage under these conditions.

FOR LABORATORY USE BY EXPERIENCED PERSONNEL ONLY; NOT FOR DRUG, HOUSEHOLD OR OTHER USES

OlChemIm s.r.o., Šlechtitelů 27, P.O.Box 22, 770 10 Olomouc, Czech Republic
Tel./Fax: +420 585 427 407
email:info@olchemim.cz, OlChemIm on the Internet: http://www.olchemim.cz